



Key features

1. Dimmable and non dimmable options
2. Input voltage: 100-277VAC or 100-382VAC
3. Meanwell driver available
4. 0-10V dimming
5. Motion sensor available
6. Five years warranty
7. Easy installation
8. 130LM/W

Applicatons

LED troffers are typically designed to replace 2*2, 2*4 fluorescent troffers in offices, schools, libraries, show rooms or other interior locations.

Technical Data

Description	Dimension	Wattage	Color	Dimmable	Voltage	Lumens	Working Hours	CRI
1*4, 25W	1ft X4ft	25	3000K-6000K	Yes	AC100-277V or AC100-382V	3375	5 years	80
1*4, 36W	1ft X4ft	36	3000K-6000K	Yes	AC100-277V or AC100-382V	4860	5 years	80
2*2, 15W	2ft X2ft	15	3000K-6000K	Yes	AC100-277V or AC100-382V	2025	5 years	80
2*2, 25W	2ft X2ft	25	3000K-6000K	Yes	AC100-277V or AC100-382V	3375	5 years	80
2*2, 36W	2ft X2ft	36	3000K-6000K	Yes	AC100-277V or AC100-382V	4860	5 years	80
2*4, 25W	2ft X4ft	25	3000K-6000K	Yes	AC100-277V or AC100-382V	3375	5 years	80
2*4, 36W	2ft X4ft	36	3000K-6000K	Yes	AC100-277V or AC100-382V	4860	5 years	80
2*4, 50W	2ft X4ft	50	3000K-6000K	Yes	AC100-277V or AC100-382V	6750	5 years	80